

WOODLAND TIMBERS

SEE-THRU LOG DIAGRAM

WTS2127ST

Step 1

(Top View)



Step 2

(Front View)



Step 2

(Back View)



Step 3

(Front View)



Step 3

(Back View)



Final

(Top View)



011819

WOODLAND TIMBERS

SEE-THRU LOG DIAGRAM

WTS2428ST

Step 1

(Top View)



Step 2

(Front View)



Step 2

(Back View)



Step 3

(Front View)



Step 3

(Back View)



Final

(Top View)




WOODLAND TIMBERS

SEE-THRU LOG DIAGRAM

WTS3029ST

Step 1

(Top View)



Step 2

(Front View)



Step 2

(Back View)



Step 3

(Front View)



Step 3

(Back View)



Final

(Top View)




WOODLAND TIMBERS

SEE-THRU LOG DIAGRAM

WTS3633ST

Step 1

(Top View)



Step 2

(Front View)



Step 2

(Back View)



Step 3

(Front View)



Step 3

(Back View)



Final

(Top View)



WOODLAND TIMBERS

INDIVIDUAL LOG DIAGRAM

F0713GO		F1509GO	
F9102GO		F9103GO	
F9113CH		F9202GO	
F9203GO		F9204GO	
F9205GO		F9206GO	
F9207GO		F9208GO	
F9209GO		F9210GO	
F9211GO		F9212GO	

WOODLAND TIMBERS

INDIVIDUAL LOG DIAGRAM

F9213GO		F9214GO	
F9215GO		F0827GO	
FR018GO		FR020GO	
FR024GO		FR030GO	
FR036GO			

RADIANT GLOW BRACKET INSTRUCTIONS

PLEASE REFER TO ACCESSORY KIT INSTRUCTIONS FOR BURNER AND VALVE INSTALLATION

A VIDEO VERSION OF THIS INSTRUCTION MAY BE FOUND AT www.youtube.com/watch?v=AohLv2XcA4E

WARNING: This is a supplemental instruction to clarify the installation of the radiant glow kit, carefully read all instructions before attempting to install this log set.



PARTS LIST


1. RADIANT GLOW BRACKET
2. EMBERS



STEP 1: Figure 1a illustrates how the radiant glow bracket slides and rests on the back of the burner pan. For installation on burner pans without pilots center the bracket on the back of the burner pan as shown in figure 1b. For installation on burner pans with a pilot install the bracket on the back of the burner pan allowing 1" clearance around the pilot assembly as shown in figure 1c. The grate can then be pulled forward over the burner pan, as shown in figure 1e.




STEP 2: Fill the burner pan with the appropriate media as shown in figure 2a (sand for NG and vermiculite for LP) Install the grate over the burner pan. The front legs of the grate go around the burner pan and about 1" in front of the burner pipe as shown in figure 2b.



STEP 3: Stuff the embers under the Radiant Riser to fill the gap between the radiant glow bracket and the riser. Also use the embers to cover the visible surface of the radiant bracket as shown in figure 3.

4



STEP 4: Stuff the embers into the notches of the Radiant Riser and cover all visible burner media as shown in figure 4. Now install the Radiant Heat series logs according to the log diagram sheet included with you log set.

SAFETY PRECAUTIONS

- Do not place clothing or other flammable items on or near the gas log set. Items placed near the log set can become very hot due to the radiant heat of the log set.
- Do not touch the log set and educate all children of the danger of the gas log set. Young children should be supervised when they are in the same room as the log set.
- Due to the high temperature, the gas log set should be located away from furniture and draperies.